


Tuesday, April 4, 2023
Puori
Copenhagen, Denmark
<https://puori.com/>

Ellipse Analytics
7000 Broadway, Suite 307
Denver, CO 80221
info@ellipseanalytics.com

Batch/Lot Number: 8919026

RESULTS SUMMARY

| Analytes | Compliance |
|----------------------|------------|
| Heavy Metals | Pass |
| Bisphenols | Pass |
| Glyphosate | Pass |
| Label Claim Accuracy | Pass |
| Pesticides | Pass |
| Residual Solvents | Pass |
| Antibiotics | Pass |



PRODUCT SUMMARY

Brand: Puori

Product Name: Puori CP1 Pure Collagen Peptides

Product Description: CP1 from Puori is pure, high-quality hydrolysed collagen powder, which ensures optimal absorption and function in the body.

Batch/Lot Number: 8919026



Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

ANALYTICAL RESULTS

Heavy Metals

| Analyte | Tolerance ¹ (ug/serving) | Findings (ug/serving) | Compliance |
|---------|-------------------------------------|-----------------------|------------|
| Arsenic | 10 | 0.19 | Pass |
| Cadmium | 4.1 | ND | Pass |
| Mercury | 0.3 | ND | Pass |
| Lead | 0.5 | ND | Pass |

Bisphenols

| Analyte | Tolerance ² (ug/serving) | Findings (ug/serving) | Compliance |
|---------|-------------------------------------|-----------------------|------------|
| BPA | 3 | ND | Pass |
| BPS | 0.05 | ND | Pass |

Glyphosate

| Analyte | Tolerance (ug/serving) | Findings (ug/serving) | Compliance |
|------------|------------------------|-----------------------|------------|
| Glyphosate | 1,100 | ND | Pass |

Label Claim Accuracy

| Analyte | Claim | Findings | Compliance |
|---------|-------------|----------|------------|
| Protein | 9 g/serving | ND | Pass |

Pesticides

| Analyte | Tolerance ⁴ | Findings (ug/serving) | Compliance |
|---------------------|------------------------|-----------------------|------------|
| 3_hydroxycarbofuran | Varies | ND | Pass |
| acephate | Varies | ND | Pass |
| acetamiprid | Varies | CND | Pass |
| aldicarb | Varies | CND | Pass |
| aldicarb_sulfone | Varies | Not Run | Pass |
| aldicarb_sulfoxide | Varies | ND | Pass |
| ametryn | Varies | ND | Pass |
| atrazine | Varies | Not Run | Pass |
| ivermectin_b1a | Varies | Not Run | Pass |
| azaconazole | Varies | ND | Pass |
| azinphos_ethyl | Varies | ND | Pass |
| azoxystrobin | Varies | ND | Pass |
| benalaxyl | Varies | Not Run | Pass |
| bendiocarb | Varies | Not Run | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

| | | | |
|----------------------------------|--------|---------|------|
| benthiavalicarb_isopropyl | Varies | Not Run | Pass |
| bioresmethrin | Varies | Not Run | Pass |
| bitertanol | Varies | Not Run | Pass |
| boscalid | Varies | Not Run | Pass |
| bromacil | Varies | Not Run | Pass |
| bromoxynil | Varies | CND | Pass |
| bupirimate | Varies | Not Run | Pass |
| buprofezin | Varies | Not Run | Pass |
| butralin | Varies | ND | Pass |
| cadusafos | Varies | ND | Pass |
| carbaryl | Varies | ND | Pass |
| carbendazim | Varies | ND | Pass |
| carbetamide | Varies | Not Run | Pass |
| carbofuran | Varies | ND | Pass |
| carboxin | Varies | Not Run | Pass |
| chlorantraniliprole | Varies | Not Run | Pass |
| chlorfenvinphos | Varies | ND | Pass |
| chlorotoluron | Varies | Not Run | Pass |
| chloroxuron | Varies | Not Run | Pass |
| chlorpyrifos_lc | Varies | Not Run | Pass |
| clodinafop_propargyl_ester | Varies | CND | Pass |
| clofentezine | Varies | Not Run | Pass |
| clopyralid | Varies | Not Run | Pass |
| cloquintocet_1_methylhexyl_ester | Varies | Not Run | Pass |
| clothianidin | Varies | ND | Pass |
| crimidine | Varies | Not Run | Pass |
| cyanazine | Varies | CND | Pass |
| cyazofamid | Varies | Not Run | Pass |
| cycloate | Varies | Not Run | Pass |
| cycloxydim | Varies | Not Run | Pass |
| cyprodinil | Varies | Not Run | Pass |
| cyromazine | Varies | Not Run | Pass |
| daminozide | Varies | Not Run | Pass |
| deet | Varies | Not Run | Pass |
| deltamethin | Varies | Not Run | Pass |
| demeton_s_methyl | Varies | ND | Pass |
| demeton_s_methyl_sulfone | Varies | Not Run | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

| | | | |
|------------------------|--------|---------|------|
| desmetryne | Varies | Not Run | Pass |
| diafenthuron | Varies | Not Run | Pass |
| diallate_(total) | Varies | Not Run | Pass |
| diazinon_lc | Varies | Not Run | Pass |
| dichlorvos | Varies | ND | Pass |
| diethofencarb | Varies | Not Run | Pass |
| difenoconazole | Varies | CND | Pass |
| diflubenzuron | Varies | Not Run | Pass |
| dimethoate | Varies | ND | Pass |
| dimethomorph | Varies | Not Run | Pass |
| diniconazole | Varies | CND | Pass |
| dinoseb | Varies | Not Run | Pass |
| dinotefuran | Varies | Not Run | Pass |
| diphenamid | Varies | ND | Pass |
| diphenylamine | Varies | ND | Pass |
| disulfoton | Varies | CND | Pass |
| disulfoton_sulfone | Varies | ND | Pass |
| disulfoton_sulfoxide | Varies | ND | Pass |
| diuron | Varies | Not Run | Pass |
| dyrene | Varies | Not Run | Pass |
| ememectin_b1a | Varies | Not Run | Pass |
| epoxiconazole | Varies | ND | Pass |
| eptc | Varies | ND | Pass |
| ethiofencarb | Varies | CND | Pass |
| ethiofencarb_sulfoxide | Varies | ND | Pass |
| ethion_lc | Varies | Not Run | Pass |
| ethiprole | Varies | Not Run | Pass |
| ethirimol | Varies | Not Run | Pass |
| ethoprop | Varies | Not Run | Pass |
| ethoxyquin | Varies | Not Run | Pass |
| etoxazole | Varies | Not Run | Pass |
| fenamidone | Varies | ND | Pass |
| fenamiphos | Varies | ND | Pass |
| fenamiphos_sulfone | Varies | ND | Pass |
| fenamiphos_sulfoxide | Varies | ND | Pass |
| fenarimol | Varies | Not Run | Pass |
| fenazaquin | Varies | CND | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

| | | | |
|-----------------------|--------|---------|------|
| fenbuconazole | Varies | Not Run | Pass |
| fenhexamid | Varies | CND | Pass |
| fenoxaprop_p | Varies | CND | Pass |
| fenpropimorph | Varies | Not Run | Pass |
| fenpyroximate | Varies | CND | Pass |
| fenthion | Varies | CND | Pass |
| fenthion_sulfone | Varies | ND | Pass |
| fipronil | Varies | CND | Pass |
| flamprop_m_isopropyl | Varies | ND | Pass |
| flonicamid | Varies | Not Run | Pass |
| fluazifop | Varies | Not Run | Pass |
| fludioxonil | Varies | Not Run | Pass |
| flufenacet | Varies | ND | Pass |
| fluopicolide | Varies | Not Run | Pass |
| fluopyram | Varies | Not Run | Pass |
| fluoxastrobin | Varies | Not Run | Pass |
| fluquinconazole | Varies | Not Run | Pass |
| fluridone | Varies | Not Run | Pass |
| flurprimidol | Varies | ND | Pass |
| flusilazole | Varies | ND | Pass |
| fluthiacet_methyl | Varies | Not Run | Pass |
| flutolanil | Varies | Not Run | Pass |
| flutriafol | Varies | ND | Pass |
| fonofos | Varies | Not Run | Pass |
| forchlorfenuron | Varies | CND | Pass |
| fosthiazate | Varies | ND | Pass |
| fuveridazole | Varies | ND | Pass |
| furalaxyl | Varies | ND | Pass |
| haloxyfop_(free_acid) | Varies | CND | Pass |
| hexaconazole | Varies | Not Run | Pass |
| hexazinone | Varies | ND | Pass |
| hexythiazox | Varies | Not Run | Pass |
| icaridin | Varies | Not Run | Pass |
| imazalil | Varies | ND | Pass |
| imidacloprid | Varies | ND | Pass |
| indoxacarb | Varies | CND | Pass |
| iprovalicarb | Varies | Not Run | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

| | | | |
|--------------------|--------|---------|------|
| isofenphos | Varies | Not Run | Pass |
| isoprocarb | Varies | ND | Pass |
| isopropalin | Varies | Not Run | Pass |
| isoproturon | Varies | CND | Pass |
| kresoxim_methyl | Varies | Not Run | Pass |
| lenacil | Varies | Not Run | Pass |
| linuron | Varies | Not Run | Pass |
| malaoxon | Varies | ND | Pass |
| malathion | Varies | Not Run | Pass |
| mandipropamid | Varies | Not Run | Pass |
| mecarbam | Varies | ND | Pass |
| mepanipyrim | Varies | Not Run | Pass |
| mepronil | Varies | Not Run | Pass |
| metalaxyl | Varies | ND | Pass |
| metamitron | Varies | ND | Pass |
| metazachlor | Varies | Not Run | Pass |
| methabenzthiazuron | Varies | Not Run | Pass |
| methamidophos | Varies | ND | Pass |
| methidathion_lc | Varies | Not Run | Pass |
| methiocarb | Varies | Not Run | Pass |
| methomyl | Varies | ND | Pass |
| methoxyfenozide | Varies | CND | Pass |
| metobromuron | Varies | Not Run | Pass |
| metolachlor | Varies | Not Run | Pass |
| metrafenone | Varies | Not Run | Pass |
| metribuzin | Varies | CND | Pass |
| molinate | Varies | ND | Pass |
| monolinuron | Varies | Not Run | Pass |
| myclobutanil | Varies | ND | Pass |
| napropamide | Varies | Not Run | Pass |
| neburon | Varies | Not Run | Pass |
| nitenpyram | Varies | ND | Pass |
| norflurazon | Varies | Not Run | Pass |
| nuarimol | Varies | ND | Pass |
| ofurace | Varies | Not Run | Pass |
| omethoate | Varies | ND | Pass |
| oxadixyl | Varies | Not Run | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

| | | | |
|----------------------|--------|---------|------|
| oxydemeton_methyl | Varies | ND | Pass |
| penconazole | Varies | Not Run | Pass |
| pencycuron | Varies | Not Run | Pass |
| pethoxamid | Varies | ND | Pass |
| phorate_sulfoxide | Varies | Not Run | Pass |
| picoxystrobin | Varies | ND | Pass |
| pirimicarb_desmethyl | Varies | ND | Pass |
| pirimicarb | Varies | Not Run | Pass |
| pirimiphos_ethyl | Varies | Not Run | Pass |
| pirimphos_methyl | Varies | Not Run | Pass |
| prochloraz | Varies | ND | Pass |
| profoxydim_lithium | Varies | Not Run | Pass |
| promecarb | Varies | Not Run | Pass |
| prometryn | Varies | Not Run | Pass |
| pronamide | Varies | Not Run | Pass |
| propamocarb | Varies | Not Run | Pass |
| propaquizafop | Varies | Not Run | Pass |
| propargite | Varies | ND | Pass |
| propiconazole | Varies | ND | Pass |
| propoxur | Varies | ND | Pass |
| propoxycarbazone | Varies | Not Run | Pass |
| proquinazid | Varies | Not Run | Pass |
| prosulfocarb | Varies | CND | Pass |
| pymetrozine | Varies | ND | Pass |
| pyraclostrobin | Varies | CND | Pass |
| pyridaben | Varies | CND | Pass |
| pyridaphenthion | Varies | ND | Pass |
| pyridate | Varies | Not Run | Pass |
| pyrimethanil | Varies | ND | Pass |
| pyriproxyfen | Varies | Not Run | Pass |
| quinclorac | Varies | Not Run | Pass |
| quinmerac | Varies | Not Run | Pass |
| quinoxiphen | Varies | Not Run | Pass |
| quizalofop | Varies | CND | Pass |
| resmethrin | Varies | Not Run | Pass |
| rotenone | Varies | CND | Pass |
| sethoxydim | Varies | Not Run | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

| | | | |
|----------------------|--------|---------|------|
| simazine | Varies | Not Run | Pass |
| spinosyn_a | Varies | ND | Pass |
| spinosyn_d | Varies | Not Run | Pass |
| spiromesifen | Varies | Not Run | Pass |
| tebuconazole | Varies | ND | Pass |
| tebufenozide | Varies | Not Run | Pass |
| tebufenpyrad | Varies | ND | Pass |
| tepraloxydim | Varies | ND | Pass |
| terbufos_sulfone_Ic | Varies | ND | Pass |
| terbufos_sulfoxide | Varies | ND | Pass |
| terbutylazine | Varies | Not Run | Pass |
| terbutryne | Varies | Not Run | Pass |
| tetrachlorvinphos_Ic | Varies | Not Run | Pass |
| tetraconazole | Varies | ND | Pass |
| thiabendazole | Varies | Not Run | Pass |
| thiacloprid | Varies | ND | Pass |
| thiadicarb | Varies | Not Run | Pass |
| thiamethoxam | Varies | ND | Pass |
| thiodicarb | Varies | ND | Pass |
| thiofanox_sulfone | Varies | ND | Pass |
| tralkoxydim | Varies | CND | Pass |
| triadimefon | Varies | Not Run | Pass |
| triadimenol | Varies | ND | Pass |
| tribenuron_methyl | Varies | Not Run | Pass |
| trichlorfon | Varies | ND | Pass |
| tricyclazole | Varies | ND | Pass |
| trifloxystrobin | Varies | Not Run | Pass |
| triflumizole | Varies | ND | Pass |
| triflumuron | Varies | Not Run | Pass |
| triticonazole | Varies | Not Run | Pass |
| zoxamide | Varies | Not Run | Pass |

Residual Solvents

| Analyte | Tolerance (ppm) ³ | Findings (ug/serving) | Compliance |
|--------------------|------------------------------|-----------------------|------------|
| 1,2-Dichloroethane | 1 | < USP 467 Limits | Pass |
| Acetone | 5000 | < USP 467 Limits | Pass |
| Acetonitrile | 410 | < USP 467 Limits | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

| | | | |
|--------------------------------------|------|------------------|------|
| Benzene | 1 | < USP 467 Limits | Pass |
| n-Butane | 5000 | < USP 467 Limits | Pass |
| Chloroform | 1 | < USP 467 Limits | Pass |
| Ethanol | 5000 | < USP 467 Limits | Pass |
| Ethyl acetate | 5000 | < USP 467 Limits | Pass |
| Ethyl ether | 5000 | < USP 467 Limits | Pass |
| Ethylene oxide | 1 | < USP 467 Limits | Pass |
| n-Heptane | 5000 | < USP 467 Limits | Pass |
| n-Hexane | 290 | < USP 467 Limits | Pass |
| Isopropyl alcohol | 5000 | < USP 467 Limits | Pass |
| Methanol | 3000 | < USP 467 Limits | Pass |
| Methylene chloride | 1 | < USP 467 Limits | Pass |
| n-Pentane | 5000 | < USP 467 Limits | Pass |
| Propane | 5000 | < USP 467 Limits | Pass |
| Toluene | 890 | < USP 467 Limits | Pass |
| Total xylenes (ortho-, meta-, para-) | 2170 | < USP 467 Limits | Pass |
| Trichloroethylene | 1 | < USP 467 Limits | Pass |

Antibiotics

| Analyte | Tolerance (ug/serving) | Findings (ug/serving) | Compliance |
|--------------|------------------------|-----------------------|------------|
| Tetracycline | Non-detect | ND | Pass |
| Ampicillin | Non-detect | ND | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>