

Thursday, December 7, 2023  
Puori  
Copenhagen, Denmark  
<https://puori.com/>

Ellipse Analytics  
7000 Broadway, Suite 307  
Denver, CO 80221  
[info@ellipseanalytics.com](mailto:info@ellipseanalytics.com)

Batch/Lot Number: 1396880100

RESULTS SUMMARY

Analytes	Compliance
Heavy Metals	Pass
Bisphenols	Pass
Glyphosate	Pass
Label Claim Accuracy	Pass
Pesticides	Pass
Residual Solvents	Pass



PRODUCT SUMMARY

**Brand:** Puori

**Product Name:** D3 Vitamin D - 2500

**Product Description:** Puori D3 is a natural, high quality and potent vitamin D product derived from sheep’s wool, combined with virgin organic coconut oil to ensure optimal absorption.

**Batch/Lot Number:** 1396880100



Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

**ANALYTICAL RESULTS**

**Heavy Metals**

Analyte	Tolerance <sup>1</sup> (ug/serving)	Findings (ug/serving)	Compliance
Arsenic	10	ND	Pass
Cadmium	4.1	ND	Pass
Mercury	0.3	ND	Pass
Lead	0.5	ND	Pass

**Bisphenols**

Analyte	Tolerance <sup>2</sup> (ug/serving)	Findings (ug/serving)	Compliance
BPA	3	ND	Pass
BPS	0.05	ND	Pass

**Glyphosate**

Analyte	Tolerance (ug/serving)	Findings (ug/serving)	Compliance
Glyphosate	1,100	Not Run	Pass

**Label Claim Accuracy**

Analyte	Claim	Findings	Compliance
Vitamin D3	2,500 IU/serving	74.6 mcg/capsule	Pass

**Pesticides**

Analyte	Tolerance <sup>4</sup>	Findings (ug/serving)	Compliance
3 Hydroxycarbofuran	Varies	ND	Pass
Acephate	Varies	ND	Pass
Acetamiprid	Varies	ND	Pass
Aldicarb	Varies	ND	Pass
Aldicarb Sulfoxide	Varies	ND	Pass
Ametryn	Varies	ND	Pass
Azaconazole	Varies	ND	Pass
Azinphos Ethyl	Varies	ND	Pass
Azoxystrobin	Varies	ND	Pass
Boscalid	Varies	ND	Pass
Bromoxynil	Varies	ND	Pass
Buprofezin	Varies	ND	Pass
Butralin	Varies	ND	Pass
Cadusafos	Varies	ND	Pass

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

Carbaryl	Varies	ND	Pass
Carbendazim	Varies	ND	Pass
Carbofuran	Varies	ND	Pass
Chlorantraniliprole	Varies	ND	Pass
Chlorfenvinphos	Varies	ND	Pass
Clodinafop Propargyl	Varies	ND	Pass
Clothianidin	Varies	ND	Pass
Cyanazine	Varies	ND	Pass
Cyprodinil	Varies	ND	Pass
Demeton s methyl	Varies	ND	Pass
Dichlorvos	Varies	ND	Pass
Difenoconazole	Varies	ND	Pass
Dimethoate	Varies	ND	Pass
Diniconazole	Varies	ND	Pass
Diphenamid	Varies	ND	Pass
Disulfoton Sulfone	Varies	ND	Pass
Disulfoton Sulfoxide	Varies	ND	Pass
Epoxiconazole	Varies	ND	Pass
EPTC	Varies	ND	Pass
Ethiofencarb	Varies	ND	Pass
Ethiofencarb Sulfoxide	Varies	ND	Pass
Fenamidone	Varies	ND	Pass
Fenamiphos	Varies	ND	Pass
Fenamiphos Sulfone	Varies	ND	Pass
Fenamiphos Sulfoxide	Varies	ND	Pass
Fenazaquin	Varies	ND	Pass
Fenhexamid	Varies	ND	Pass
Fenoxaprop p	Varies	ND	Pass
Fenthion	Varies	ND	Pass
Fenthion Oxon	Varies	ND	Pass
Fenthion Sulfone	Varies	ND	Pass
Fipronil	Varies	ND	Pass
Flamprop Isopropyl	Varies	ND	Pass
Flufenacet	Varies	ND	Pass
Flurprimidol	Varies	ND	Pass
Flusilazole	Varies	ND	Pass
Flutriafol	Varies	ND	Pass

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

Forchlorfenuron	Varies	ND	Pass
Fosthiazate	Varies	ND	Pass
Fuberidazole	Varies	ND	Pass
Furalaxyl	Varies	ND	Pass
Haloxyfop	Varies	ND	Pass
Hexazinone	Varies	ND	Pass
Imazalil	Varies	ND	Pass
Imidacloprid	Varies	ND	Pass
Indoxacarb	Varies	ND	Pass
Isoprocarb	Varies	ND	Pass
Isoproturon	Varies	ND	Pass
Malaoxon	Varies	ND	Pass
Mecarbam	Varies	ND	Pass
Metalaxyl	Varies	ND	Pass
Metamitron	Varies	ND	Pass
Methamidophos	Varies	ND	Pass
Methomyl	Varies	ND	Pass
Methoxyfenozide	Varies	ND	Pass
Metribuzin	Varies	ND	Pass
Molinate	Varies	ND	Pass
Myclobutanil	Varies	ND	Pass
Nitenpyram	Varies	ND	Pass
Nuarimol	Varies	ND	Pass
Omethoate	Varies	ND	Pass
Oxydemeton Methyl	Varies	ND	Pass
Pethoxamid	Varies	ND	Pass
Picoxystrobin	Varies	ND	Pass
Pirimicarb Desmethyl	Varies	ND	Pass
Prochloraz	Varies	ND	Pass
Propargite	Varies	ND	Pass
Propiconazole	Varies	ND	Pass
Propoxur	Varies	ND	Pass
Prosulfocarb	Varies	ND	Pass
Pymetrozine	Varies	ND	Pass
Pyraclostrobin	Varies	ND	Pass
Pyridaben	Varies	ND	Pass
Pyridaphenthion	Varies	ND	Pass

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

Pyrimethanil	Varies	ND	Pass
Quizalofop	Varies	ND	Pass
Rotenone	Varies	ND	Pass
Spinosyn A	Varies	ND	Pass
Tebuconazole	Varies	ND	Pass
Tebufenpyrad	Varies	ND	Pass
Tepraloxymid	Varies	ND	Pass
Terbufos Sulfone	Varies	ND	Pass
Terbufos Sulfoxide	Varies	ND	Pass
Thiabendazole	Varies	ND	Pass
Thiacloprid	Varies	ND	Pass
Thiamethoxam	Varies	ND	Pass
Thiodicarb	Varies	ND	Pass
Thiofanox Sulfone	Varies	ND	Pass
Tralkoxydim	Varies	ND	Pass
Triadimenol	Varies	ND	Pass
Trichlorfon	Varies	ND	Pass
Tricyclazole	Varies	ND	Pass
Triflumizole	Varies	ND	Pass

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

**Residual Solvents**

Analyte	Tolerance (ppm) <sup>3</sup>	Findings (ug/serving)	Compliance
1,2-Dichloroethane	1	< USP 467 Limits	Pass
Acetone	5000	< USP 467 Limits	Pass
Acetonitrile	410	< USP 467 Limits	Pass
Benzene	1	< USP 467 Limits	Pass
n-Butane	5000	< USP 467 Limits	Pass
Chloroform	1	< USP 467 Limits	Pass
Ethanol	5000	< USP 467 Limits	Pass
Ethyl acetate	5000	< USP 467 Limits	Pass
Ethyl ether	5000	< USP 467 Limits	Pass
Ethylene oxide	1	< USP 467 Limits	Pass
n-Heptane	5000	< USP 467 Limits	Pass
n-Hexane	290	< USP 467 Limits	Pass
Isopropyl alcohol	5000	< USP 467 Limits	Pass
Methanol	3000	< USP 467 Limits	Pass
Methylene chloride	1	< USP 467 Limits	Pass
n-Pentane	5000	< USP 467 Limits	Pass
Propane	5000	< USP 467 Limits	Pass
Toluene	890	< USP 467 Limits	Pass
Total xylenes (ortho-, meta-, para-)	2170	< USP 467 Limits	Pass
Trichloroethylene	1	< USP 467 Limits	Pass

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>